

NATIONAL MOTH RECORDING SCHEME

Micromoth Verification Guidelines

VC55: Leicestershire & Rutland

April 2018

Introduction to the National Guidelines

The national 'Verification Guidelines' were devised and compiled to help recorders and County Recorders decide which micro-moths need careful consideration before records should be submitted to the National Moth Recording Scheme. In some cases the Regional, or even the National panels, that have been put in place to support the County Recorders may need referring to.

There will be plenty of the larger micro-moths, such as *Pleuroptya ruralis* (Mother of Pearl), *Anania hortulata* (Small Magpie), *Hypsopygia costalis* (Gold Triangle) and *Pterophorus pentadactyla* (White Plume Moth), where the moths can be easily identified and where no similar looking species occur. Typically, these records will be accepted as submitted and only those which occur outside their usual flight period, habitat or geographical range are likely to be questioned. However, it will help if these checks are made to rule out any potential misidentifications before submitting the record. This sort of information is readily available in books and on-line facilities. Once experience has been gained with the different families there will be many species that can be accepted without further evidence being required. If a recorder has had the species checked before it is unlikely that subsequent records of the same species will need querying again (unless dissection is required or, perhaps, the species is very scarce).

The criteria contained within the guidelines aim to provide a framework for the verification of micro-moths for the National Moth Recording Scheme. These criteria cover the adult moths and also species more regularly recorded as leaf-mines or as larval cases (N.B. this document only covers the criteria for adult moths). The criteria are applicable at the UK level, but can be adapted locally.

VC55 Guidelines

All data collected by the Leicestershire and Rutland Moth Group is forwarded to both County and National Recording Schemes. It is essential that the records are a reliable source of information, and this is especially important where the information may be utilised in support of any conservation initiatives. For this reason, species have been assigned a category to give guidance as to the evidence required for any record of that species to be fully acceptable. These are broadly in line with National guidelines, however they may be more stringent considering current local status (e.g. where a generally common species has not been recorded from VC55).

Records are collated by the County Recorder, and if necessary are assessed by a panel that includes some of the most experienced and well-regarded lepidopterists within the County. Where appropriate the panel will consult with outside expertise for comments and assistance.

The term 'distinctive' infers that the species can usually be identified by external features/markings alone. However, the specific identification of poorly marked or worn specimens should be considered with care and may require higher verification.

If retaining a specimen to obtain a subsequent identification, ensure that all supporting detail is retained with the specimen (recorder, date, site, trapping/collecting method).

Records should be submitted with full supporting detail: dates for light trapping/nocturnal records should refer to the evening that the trapping/collecting method was started; records for species encountered during daylight should be annotated as such; site details should ideally include six-figure grid references; the trapping/collection method should be given, and where appropriate detail of supporting evidence should be noted (eg 'specimen retained', 'specimen provided', 'gen det by', 'verified by', 'photographed').

If you are unsure as to what evidence is required or how much detail is required, remember that more is far preferable to not enough!

Adult Micromoth Recording Categories - VC55

Category 1:

Distinctive species that are unlikely to be confused with others, and are generally common in VC55.

Records will usually be accepted without supporting evidence. This category generally applies to species that will quickly become familiar to those gaining experience in micromoths.

Category 2:

Species that can be confused with others, or which may be uncommon/scare in VC55.

Good quality photographs or a specimen may be required, or seek verification from an experienced recorder. If previously submitted records from the recorder or for the site have been accepted, then Category 1 criteria apply. In effect, records will be accepted from experienced micromoth recorders, without supporting evidence.

Category 3:

Rare or very scarce species in VC55 (including some adventive/immigrant species).

A clear set of photographs showing all critical identification features is required, and/or a voucher specimen may be necessary - check with the County Recorder before releasing the moth.

Category 4: (Dissection Required)

Species that cannot be reliably identified as adults by external characteristics alone.

Dissection is required to confirm records to full species. Where appropriate, a few species pairs can be recorded as 'aggregates' (e.g. Acleris ferrugana/notana) if not dissected.

Category 5: (Specimen Required)

Species where there are currently no previous, confirmed or post-VCH records. A voucher specimen is required.

Contact the County Recorder before releasing the moth or after the moth has been set and identified. In some exceptional circumstances, a clear set of photographs showing all critical identification features may be sufficient to support a record of this species.

Notes on Detailed Listings

ABH	Agassiz, Beavan & Heckford checklist number (new)
B&F	Bradley & Fletcher checklist number (old)
Species	Micromoth species – N.B. This version only contains details of species already recorded from VC55; for other species (all of which will be Category 5), details can be found in the electronic version.
Vernacular	Includes only the widely accepted vernacular names. Whilst other micromoths may have been given a vernacular name, such names are not commonly known/used by experienced micromoth recorders and should therefore be avoided for record submission purposes
VC55 Listed	Y = Yes, the species has been recorded from VC55 (provisionally in some instances)
First VC55 Record	Provisional as historical records are still being researched. 1907 probably means it was listed in the Victoria County History of Leicestershire (VCH).
Last VC55 Record	Only applies to records up to the end of 2016, apart from VC55 firsts in 2017
Records in VC55 Database	Number of records up to the end of 2016, apart from VC55 firsts in 2017
Specimens in VC55 Collection	Number of specimens in the VC55 reference collection (held by Leicestershire Museums Service). In some instances, data from specimens may not yet have been incorporated into the records database.
VC55 Verification Grade	As detailed above
National Guide Comment	Comments included in the national guidelines

ABH	B&F	SPECIES	Vernacular	VC55 Listed?	First VC55 Record	Last VC55 Record	Records in VC55 Database	Specimens in VC55 Collection	VC55 Verification Grade (Adults)	National Guide Comment
63.115	1331	<i>Acentria ephemerella</i>	Water Veneer	Y	1973	2016	1381	7	1	
62.005	1426	<i>Achroia grisella</i>	Lesser Wax Moth	Y	1907	2016	31	7	1	
49.078	1043	<i>Acleris aspersana</i>		Y	1989	2016	23	22	2	
49.063	1035	<i>Acleris bergmanniana</i>		Y	1907	2015	62	6	1	
49.065	1039	<i>Acleris comariana</i>	Strawberry Tortrix	Y	2006	2007	2		4	
49.076	1054	<i>Acleris cristana</i>		Y	2002	2016	120	4	1	
49.071	1062	<i>Acleris emargana</i>		Y	1907	2016	186	4	4	
49.083	1044	<i>Acleris ferrugana</i>		Y	1907	2011	12	3	4	
N/A	1044x	<i>Acleris ferrugana/notana</i>		Y	2010	2016	56		1	
49.062	1036	<i>Acleris forsskaleana</i>		Y	1907	2016	1132	11	1	
49.080	1053	<i>Acleris hastiana</i>		Y	2000	2016	102	5	2	
49.061	1037	<i>Acleris holmiana</i>		Y	1907	2016	173	4	1	
49.082	1055	<i>Acleris hyemana</i>		Y	2008	2008	1		3	
49.085	1050	<i>Acleris kochiella</i>		Y	1991	2015	13	2	2	
49.066	1038	<i>Acleris laterana</i>		Y	2002	2014	31	8	4	
N/A	1038x	<i>Acleris laterana/comariana</i>		Y	2010	2016	278		1	
49.087	1061	<i>Acleris literana</i>		Y	2003	2016	21	1	1	
49.086	1051	<i>Acleris logiana</i>		Y	2011	2012	2		3	
49.084	1045	<i>Acleris notana</i>		Y	2003	2016	6	4	4	
49.070	1042	<i>Acleris rhombana</i>	Rhomboid Tortrix	Y	1907	2016	223	3	1	
49.073	1047	<i>Acleris schalleriana</i>		Y	1907	2016	35		2	
49.069	1041	<i>Acleris sparsana</i>		Y	1981	2016	268	6	1	
49.077	1048	<i>Acleris variegana</i>	Garden Rose Tortrix	Y	1907	2016	2472	32	1	
35.026	855	<i>Acompsia cinerella</i>		Y	2002	2009	5	1	3	
62.035	1439	<i>Acrobasis advenella</i>		Y	1981	2016	1282	2	1	
62.038	1437	<i>Acrobasis consociella</i>		Y	1999	2016	132	4	2	
62.034	1436	<i>Acrobasis repandana</i>		Y	1984	2016	167	10	2	
62.036	1438	<i>Acrobasis suavella</i>		Y	1998	2015	44	1	2	
62.033	1435	<i>Acrobasis tumidana</i>		Y	1978	1978	1		5	
15.019	313	<i>Acrocercops bronniardella</i>		Y	1976	2008	9	1	2	
19.014	476	<i>Acrolepiia autumnitella</i>		Y	1993	2016	32	1	2	
19.011	473	<i>Acrolepiopsis assetella</i>	Leek Moth	Y	2014	2016	4		3	
45.043	1517	<i>Adaina microdactyla</i>	Hemp Agrimony Plume	Y	2011	2011	1		5	
7.008	151	<i>Adela croesella</i>		Y	1907	2016	8	1	2	
7.006	150	<i>Adela reaumurella</i>		Y	1907	2016	193	16	1	
49.123	951	<i>Aethes beatricella</i>		Y	1982	2016	43	1	2	
49.127	945	<i>Aethes cnicana</i>		Y	1989	2016	17		2	
49.115	942	<i>Aethes piercei</i>		Y	1938	1940		7	3	Size and habitat details essential
49.128	946	<i>Aethes rubigana</i>		Y	1907	2016	129	1	2	
49.120	947	<i>Aethes smethmanniana</i>		Y	1980	2016	205	6	2	
49.121	939	<i>Aethes tesserana</i>		Y	2005	2015	3		3	
49.116	944	<i>Aethes williana</i>		Y	1985	2003	4	2	3	
49.109	937	<i>Agapeta hamana</i>		Y	1907	2016	1728	13	1	
49.110	938	<i>Agapeta zoegana</i>		Y	1907	2016	161	2	1	
62.074	1421	<i>Aglossa pinguinalis</i>	Large Tabby	Y	1885	2016	43	3	1	
32.031	695	<i>Agonopterix alstromeriana</i>		Y	1907	2016	222	2	1	
32.032	713	<i>Agonopterix angelicella</i>		Y	1995	2016	17		2	
32.017	697	<i>Agonopterix arenella</i>		Y	1907	2016	305	12	2	
32.024	702	<i>Agonopterix assimilella</i>		Y	1907	2016	9	3	2	
32.022	715	<i>Agonopterix capreolella</i>		Y	1996	1996	1		5	
32.019	689	<i>Agonopterix ciliella</i>		Y	1983	2015	20	3	3	Photo to show hindwing
32.034	690	<i>Agonopterix cnicella</i>		Y	1976	1998	2		5	
32.010	710	<i>Agonopterix conterminella</i>		Y	1907	2014	5	1	3	
32.018	688	<i>Agonopterix heracliana</i>		Y	1907	2016	544	27	2	Photo to show hindwing
32.026	698	<i>Agonopterix kaekeritziana</i>		Y	2001	2016	2		3	
32.008	709	<i>Agonopterix lituosa</i>		Y	1976	2016	27		2	
32.030	706	<i>Agonopterix nervosa</i>		Y	1907	2016	63	26	2	1 if in perfect condition
32.007	701	<i>Agonopterix ocellana</i>		Y	1983	2016	24	1	2	
32.016	696	<i>Agonopterix propinquella</i>		Y	1907	2015	8	3	2	
32.009	691	<i>Agonopterix purpurea</i>		Y	2014	2014	1	1	3	
32.015	692	<i>Agonopterix subpropinquella</i>		Y	2002	2015	12	4	2	
32.029	705	<i>Agonopterix umbellana</i>		Y	2003	2006	3	2	3	
63.095	1309	<i>Agriphila geniculea</i>		Y	1973	2016	1575	3	2	
63.090	1306	<i>Agriphila inquinatella</i>		Y	1983	2016	63	3	2	
63.091	1307	<i>Agriphila latistria</i>		Y	1987	2015	21		1	

ABH	B&F	SPECIES	Vernacular	VC55 Listed?	First VC55 Record	Last VC55 Record	Records in VC55 Database	Specimens in VC55 Collection	VC55 Verification Grade (Adults)	National Guide Comment
63.092	1303	<i>Agriphila selasella</i>		Y	1968	2016	271	2	2	
63.093	1304	<i>Agriphila straminella</i>		Y	1907	2016	2679	34	1	
63.089	1305	<i>Agriphila tristella</i>		Y	1907	2016	2644	35	1	
63.041	1410	<i>Agroterta nemoralis</i>		Y	1907	1907			5	
28.022	652	<i>Alabonia geoffrella</i>		Y	2005	2010	4		3	
49.060	1032	<i>Aleimma loeflingiana</i>		Y	1979	2016	293	4	1	
44.001	1288	<i>Alucita hexadactyla</i>	Twenty-plume Moth	Y	1885	2016	749	12	1	
45.010	1497	<i>Amblyptilia acanthadactyla</i>	Beautiful Plume	Y	1907	2016	929	1	2	
45.011	1498	<i>Amblyptilia punctidactyla</i>	Brindled Plume	Y	1907	2015	36		2	
35.012	854	<i>Anacampsis blattariella</i>		Y	1991	2016	29	2	4	
35.011	853	<i>Anacampsis populella</i>		Y	1985	2009	12	1	4	
63.018	1378	<i>Anania coronata</i>		Y	1885	2016	960	17	1	
63.022	1385	<i>Anania crocealis</i>		Y	1955	2016	3	1	3	
63.016	1386	<i>Anania fuscalis</i>		Y	2014	2017	2		3	
63.025	1376	<i>Anania hortulata</i>	Small Magpie	Y	1885	2016	3177	13	1	
63.017	1377	<i>Anania lancealis</i>		Y	1907	2014	175		2	
63.020	1380	<i>Anania perlucidalis</i>		Y	1987	2016	377	2	1	
63.019	1384	<i>Anania stachydalis</i>		Y	1996	1996	1		5	
63.021	1379	<i>Anania terrealis</i>		Y	1907	1907			5	
35.020	856	<i>Anarsia spartiella</i>		Y	2002	2016	10	1	2	
49.215	1115	<i>Ancylis achatana</i>		Y	1980	2016	731	4	2	
49.214	1126	<i>Ancylis badiana</i>		Y	1980	2016	185	23	1	
49.209	1119a	<i>Ancylis diminutana</i>		Y	1939	2010	5	1	3	
49.207	1119	<i>Ancylis geminana</i>		Y	1907	1907			5	
49.203	1123	<i>Ancylis laetana</i>		Y	2008	2012	4		3	
49.216	1120	<i>Ancylis mitterbacheriana</i>		Y	1983	2016	40	1	1	
49.211	1128	<i>Ancylis myrtillana</i>		Y	1907	1983	1	4	3	
48.001	385	<i>Anthophila fabriciana</i>		Y	1907	2016	431	28	1	
63.051	1400	<i>Antigastra catalaunalis</i>		Y	2006	2006	2	1	3	
6.001	158	<i>Antispila metallella</i>		Y	2002	2012	2		3	
49.031	989	<i>Aphelia paleana</i>	Timothy Tortrix	Y	1979	2016	609	11	1	
49.033	988	<i>Aphelia viburnana</i>	Bilberry Tortrix	Y	1939	1940		7	3	
62.001	1428	<i>Aphomia sociella</i>	Bee Moth	Y	1907	2016	2236	14	1	
35.060	730	<i>Apodia bifractella</i>		Y	2002	2010	2	1	3	
49.150	1093	<i>Apotomis betuletana</i>		Y	1980	2016	453	7	2	
49.151	1094	<i>Apotomis capreana</i>		Y	1989	2016	23	1	2	
49.153	1096	<i>Apotomis sauciana</i>		Y	1907	2014	7	1	2	
49.152	1095	<i>Apotomis sororculana</i>		Y	2008	2010	5		3	
49.149	1092	<i>Apotomis turbidana</i>		Y	1907	2016	97	1	2	
35.010	843	<i>Aproaerema anthyllidella</i>		Y	1907	2015	6		4	
49.014	979	<i>Archips crataegana</i>	Brown Fruit-tree Tortrix	Y	1907	2015	34	1	2	
49.011	976	<i>Archips oporana</i>		Y	1982	1982	1		5	
49.013	977	<i>Archips podana</i>	Large Fruit-tree Tortrix	Y	1907	2016	1286	21	1	
49.016	981	<i>Archips rosana</i>	Rose Tortrix	Y	1907	2013	12	4	2	
49.015	980	<i>Archips xylosteana</i>	Variegated Golden Tortrix	Y	1907	2016	231	5	2	
20.023	422	<i>Argyresthia albistria</i>		Y	1907	2016	156	1	2	
20.004	405	<i>Argyresthia arceuthina</i>		Y	1907	2013	2		3	
20.022	421	<i>Argyresthia bonnetella</i>		Y	1980	2016	105	9	2	
20.011	410	<i>Argyresthia brockeella</i>		Y	1907	2016	271	1	1	
20.019	418	<i>Argyresthia conjugella</i>	Apple Fruit Moth	Y	1983	2016	55		2	
20.007	409b	<i>Argyresthia cupressella</i>	Cypress Tip Moth	Y	2000	2016	136		2	
20.015	414	<i>Argyresthia curvella</i>		Y	1907	2016	17		2	
20.006	407	<i>Argyresthia dilectella</i>		Y	1982	2016	52		2	
20.002	403	<i>Argyresthia glabratella</i>		Y	2016	2016	1		4	
20.017	416	<i>Argyresthia glaucinella</i>		Y	1883	1883			5	
20.012	411	<i>Argyresthia goedartella</i>		Y	1907	2016	918	11	1	
20.001	401	<i>Argyresthia laevigatella</i>		Y	1980	2012	5	2	4	
20.021	420	<i>Argyresthia pruniella</i>	Cherry Fruit Moth	Y	1907	2016	172	4	2	
20.013	412	<i>Argyresthia pygmaeella</i>		Y	1907	2011	10		2	
20.016	415	<i>Argyresthia retinella</i>		Y	1907	2016	56		2	
20.020	419	<i>Argyresthia semifusca</i>		Y	1892	2016	54	1	2	
20.024	423	<i>Argyresthia semitestacea</i>		Y	1907	2016	8	1	2	
20.014	413	<i>Argyresthia sorbiella</i>		Y	1907	1907			5	
20.018	417	<i>Argyresthia spinosella</i>		Y	1992	2016	62	2	2	
20.005	409a	<i>Argyresthia trifasciata</i>		Y	2002	2016	355	1	1	
35.050	752	<i>Aristotelia ericinella</i>		Y	2014	2016	3		3	
15.015	294	<i>Aspilapteryx tringipennella</i>		Y	1998	2016	121		1	
62.047	1461	<i>Assara terebrella</i>		Y	1998	2014	4		3	
35.085	762	<i>Athrips mouffetella</i>		Y	1979	2016	62		1	
35.086	761	<i>Athrips tetrapunctella</i>		Y	1907	1907			5	

ABH	B&F	SPECIES	Vernacular	VC55 Listed?	First VC55 Record	Last VC55 Record	Records in VC55 Database	Specimens in VC55 Collection	VC55 Verification Grade (Adults)	National Guide Comment
49.195	1110	<i>Bactra furfurana</i>		Y	1907	2016	17	1	2	
49.194	1111	<i>Bactra lancealana</i>		Y	1940	2016	89	24	2	
28.017	641	<i>Batia lambdella</i>		Y	2007	2010	3		3	
28.015	640	<i>Batia lunaris</i>		Y	1979	2016	263	5	2	
36.002	879	<i>Batrachedra pinicolella</i>		Y	1892	2016	6		2	
36.001	878	<i>Batrachedra praeangusta</i>		Y	1907	2016	60		2	
24.001	264	<i>Bedellia somnulentella</i>		Y	1998	2011	28		2	
41.002	873	<i>Blastobasis adustella</i>		Y	1981	2016	3023	2	2	
41.003	874	<i>Blastobasis lacticolella</i>		Y	1966	2016	909		2	
39.002	906	<i>Blastodacna atra</i>	Apple Pith Moth	Y	2002	2016	9		2	
39.001	905	<i>Blastodacna hellerella</i>		Y	1907	2016	530	4	2	
4.071	40	<i>Bohemannia pulverosella</i>		Y	1975	1995	3		4	
28.012	644	<i>Borkhausenia fuscescens</i>		Y	1907	2016	90	1	2	
28.011	645	<i>Borkhausenia minutella</i>		Y	1907	1907			5	
35.028	866	<i>Brachmia blandella</i>		Y	1999	2016	143	1	1	
35.029	867	<i>Brachmia inornatella</i>		Y	2017	2017	1		3	
35.047	779	<i>Bryotropha affinis</i>		Y	1980	2016	472	4	2	
35.045	777	<i>Bryotropha basaltinella</i>		Y				1	5	
35.038	789	<i>Bryotropha domestica</i>		Y	1907	2016	308	4	2	
35.039	788	<i>Bryotropha politella</i>		Y	2006	2006	1	1	3	
35.046	782	<i>Bryotropha senectella</i>		Y	2007	2013	2		3	
35.040	787	<i>Bryotropha terrella</i>		Y	1907	2016	320	3	2	
14.007	271	<i>Bucculatrix albedinella</i>		Y	1976	2016	11	2	2	
14.012	275	<i>Bucculatrix bechsteinella</i>		Y	1976	2016	6		2	
14.008	272	<i>Bucculatrix cidarella</i>		Y	2005	2005	1		3	
14.001	265	<i>Bucculatrix cristatella</i>		Y	1976	1976	1		3	
14.002	266	<i>Bucculatrix nigricomella</i>		Y	1999	2016	55		2	
14.009	273	<i>Bucculatrix thoracella</i>		Y	1999	2016	17		1	
14.010	274	<i>Bucculatrix ulmella</i>		Y	1883	2016	12		4	
49.030	985	<i>Cacoecimorpha pronubana</i>	Carnation Tortrix	Y	1980	2016	108	2	1	
62.067	1476	<i>Cadra cautella</i>	Dried Currant Moth	Y	1997	1997	1		4	Few recent records
63.079	1292	<i>Calamotropha paludella</i>		Y	1971	2016	258	1	1	
15.022	310	<i>Callisto denticulella</i>		Y	1907	2015	17		1	
15.008	286	<i>Caloptilia alchimiella</i>		Y	1907	2016	99	2	4	
15.007	285	<i>Caloptilia azaleella</i>	Azalea Leaf Miner	Y	2001	2016	6	1	2	
15.005	283	<i>Caloptilia betulicola</i>		Y	1983	2014	17	1	4	
15.002	280	<i>Caloptilia cuculipennella</i>		Y	1992	1992	1		5	
15.004	282	<i>Caloptilia elongella</i>		Y	1907	2016	45		4	
15.011	289	<i>Caloptilia falconipennella</i>		Y	2011	2014	2		3	
15.003	281	<i>Caloptilia populetorum</i>		Y	2003	2016	17	2	2	
15.009	287	<i>Caloptilia robustella</i>		Y	1986	2016	70	1	4	
15.006	284	<i>Caloptilia rufipennella</i>		Y	1989	2016	38		2	
15.012	290	<i>Caloptilia semifascia</i>		Y	1989	2012	5		3	
15.010	288	<i>Caloptilia stigmatella</i>		Y	1989	2016	210		1	
15.017	296	<i>Calybites phasianipennella</i>		Y	2009	2011	3		3	
15.089	366a	<i>Cameraria ohridella</i>	Horse Chestnut Leaf M	Y	2005	2016	571	1	2	
45.028	1494	<i>Capperia britanniodactylus</i>	Wood Sage Plume	Y	1996	2012	3		3	
49.009	1007	<i>Capua vulgana</i>		Y	1935	2016	67	2	2	
31.001	658	<i>Carcina quercana</i>		Y	1907	2016	1298	30	1	
35.149	771	<i>Carpatolechia alburnella</i>		Y	1983	2015	18	2	2	
35.147	767	<i>Carpatolechia decorella</i>		Y	2003	2013	3	1	3	
35.148	772	<i>Carpatolechia fugitivella</i>		Y	1907	2013	11	2	2	
35.150	768	<i>Carpatolechia notatella</i>		Y	1982	2010	2	1	3	
35.151	770	<i>Carpatolechia proximella</i>		Y	1907	2015	23	2	2	
35.132	830	<i>Caryocolum fraternella</i>		Y	1892	2016	3		4	
35.137	834	<i>Caryocolum tricolorella</i>		Y	1892	1892			5	
63.116	1354	<i>Cataclysta lemnata</i>	Small China-mark	Y	1907	2016	268	3	1	
63.102	1316	<i>Catoptria falsella</i>		Y	1974	2016	775	3	1	
63.100	1314	<i>Catoptria margaritella</i>		Y	2013	2013	1	1	3	
63.099	1313	<i>Catoptria pinella</i>		Y	1968	2016	508	16	1	
7.009	153	<i>Cauchas fibulella</i>		Y	1863	2003	2	2	3	
7.010	152	<i>Cauchas rufimitrella</i>		Y	1907	2016	33	21	1	
16.021	442	<i>Cedestis gyseleniella</i>		Y	1989	2016	23		2	
16.022	443	<i>Cedestis subfasciella</i>		Y	1984	2011	7		2	
49.164	1067	<i>Celypha cespitana</i>		Y	1991	1991	1		5	
49.166	1076	<i>Celypha lacunana</i>		Y	1907	2016	2864	47	2	
49.167	1068	<i>Celypha rivulana</i>		Y	1940	2005	2	6	3	
49.162	1064	<i>Celypha rosaceana</i>		Y	1990	2015	16	1	2	
49.161	1063	<i>Celypha striana</i>		Y	1907	2016	1679	5	1	

ABH	B&F	SPECIES	Vernacular	VC55 Listed?	First VC55 Record	Last VC55 Record	Records in VC55 Database	Specimens in VC55 Collection	VC55 Verification Grade (Adults)	National Guide Comment
63.077	1290	<i>Chilo phragmitella</i>		Y	1999	2016	118	3	2	
48.007	389	<i>Choreutis pariana</i>		Y	1998	2015	16	1	1	
49.017	982	<i>Choristoneura diversana</i>		Y	2006	2006	1		3	
49.018	983	<i>Choristoneura hebenstreitella</i>		Y	1907	2015	26	4	2	
39.006	902	<i>Chrysoclista lathamella</i>		Y	2005	2014	3	1	3	
35.035	746	<i>Chrysoesthia drurella</i>		Y	2010	2016	9		2	
35.036	747	<i>Chrysoesthia sexguttella</i>		Y	1989	2002	2		3	
63.080	1293	<i>Chrysoteuchia culmella</i>		Y	1907	2016	3855	27	1	
49.304	1207	<i>Clavigesta purdeyi</i>	Pine Leaf-mining Moth	Y	1983	2016	41		2	
49.303	1206	<i>Clavigesta sylvestrana</i>		Y	1999	1999	1		5	
49.038	994	<i>Clepsis consimilana</i>		Y	1940	2016	1109	18	1	
49.036	992	<i>Clepsis rurinana</i>		Y	2002	2002	1		5	
49.037	993	<i>Clepsis spectrana</i>	Cyclamen Tortrix	Y	1973	2016	537	9	1	
49.051	1021	<i>Cnephacia asseclana</i>	Flax Tortrix	Y	1940	2016	25	14	4	
49.055	1018	<i>Cnephacia communana</i>		Y	1940	2015	5	13	4	
49.054	1023	<i>Cnephacia genitalana</i>		Y	1962	2015	13	4	4	
49.049	1024	<i>Cnephacia incertana</i>	Light Grey Tortrix	Y	1940	2015	12	17	4	
49.057	1016	<i>Cnephacia longana</i>		Y	1994	2016	34	3	2	
49.052	1022	<i>Cnephacia pasiuana</i>		Y	1940	2012	4	3	4	
49.053	1022a	<i>Cnephacia pumicana</i>	Cereal Tortrix	Y	2012	2012	1		4	
49.050	1020	<i>Cnephacia stephensianna</i>	Grey Tortrix	Y	1892	2016	20	14	4	
49.131	957	<i>Cochylidia heydeniana</i>		Y	2009	2012	2		3	
49.132	956	<i>Cochylidia implicitana</i>		Y	1989	2007	10		2	
49.129	959	<i>Cochylidia rupicola</i>		Y	2013	2013	1		3	
49.097	936	<i>Cochylimorpha straminea</i>		Y	1990	2016	79	12	1	
49.139	966	<i>Cochylis atricapitana</i>		Y	1986	2016	326	3	2	
49.137	964	<i>Cochylis dubitana</i>		Y	1989	2016	55		2	
49.136	965	<i>Cochylis hybridella</i>		Y	2003	2016	71	2	2	
49.138	964a	<i>Cochylis molliculana</i>		Y	2015	2015	1	1	3	
49.133	968	<i>Cochylis nana</i>		Y	1907	2016	21	1	2	
49.134	962	<i>Cochylis roseana</i>		Y	1985	2015	52	1	2	
37.104	567	<i>Coleophora adspersella</i>		Y	2002	2014	5		4	
37.063	544	<i>Coleophora albicosta</i>		Y	2002	2016	59	1	2	
37.050	532	<i>Coleophora albidella</i>		Y	1980	2006	4	1	4	
37.032	515	<i>Coleophora albitarsella</i>		Y	2003	2014	2	1	4	Adult: If a photo, white tarsi must be clearly visible
37.035	517	<i>Coleophora alcyonipennella</i>	Clover Case-bearer	Y	2002	2016	38		4	
37.073	584	<i>Coleophora alticolella</i>		Y	1939	2016	21	10	4	
37.049	533	<i>Coleophora anatipennella</i>	Pistol Case-bearer	Y	1985	2016	12	2	4	
37.102	563	<i>Coleophora argentula</i>		Y	1985	2016	8		4	
37.090	577	<i>Coleophora artemisicolella</i>		Y	2003	2003	1		4	
37.011	497	<i>Coleophora badiipennella</i>		Y	2014	2016	2		4	
37.053	536	<i>Coleophora betulella</i>		Y	2003	2016	17	3	4	
37.069	587	<i>Coleophora caespititiella</i>		Y	1939	2016	30	6	4	
37.036	521	<i>Coleophora conyzae</i>		Y	2003	2003	1		4	
37.014	494	<i>Coleophora coracipennella</i>		Y	2002	2013	7	1	4	
37.046	519	<i>Coleophora deauratella</i>		Y	1999	2013	3		4	Adult: If a photo, antennal features must be clearly visible
37.044	547	<i>Coleophora discordella</i>		Y	1940	2016	5	2	4	
37.007	492	<i>Coleophora flavidipennella</i>		Y	1993	2014	15	2	4	
37.103	555	<i>Coleophora follicularis</i>		Y	1907	1907			5	
37.020	503	<i>Coleophora fuscocuprella</i>		Y	1907	1907			5	
37.071	582	<i>Coleophora glaucicolella</i>		Y	1939	2015	13	5	4	
37.006	491	<i>Coleophora gryphipennella</i>		Y	1985	2014	16		4	
37.052	535	<i>Coleophora ibipennella</i>		Y	2009	2009	1		4	
37.066	526	<i>Coleophora laricella</i>	Larch Case-bearer	Y	1988	2016	13	1	4	
37.038	522	<i>Coleophora lineolea</i>		Y	1907	2015	31	2	4	
37.022	504	<i>Coleophora lusciniaepennella</i>		Y	2003	2013	9	1	4	
37.005	490	<i>Coleophora lutipennella</i>		Y	1907	2016	25	2	4	

ABH	B&F	SPECIES	Vernacular	VC55 Listed?	First VC55 Record	Last VC55 Record	Records in VC55 Database	Specimens in VC55 Collection	VC55 Verification Grade (Adults)	National Guide Comment
37.048	518	<i>Coleophora mayrella</i>		Y	1986	2016	93	2	2	Adult: If a photo, antennal features must be clearly visible
37.009	496	<i>Coleophora milvipennis</i>		Y	2013	2103	1		4	
37.072	578	<i>Coleophora otidipennella</i>		Y	2015	2015	1		4	
37.106	560	<i>Coleophora paripennella</i>		Y	2013	2015	6		4	Adult: If a photo, antennal features must be clearly visible
37.065	549	<i>Coleophora pennella</i>		Y	2003	2005	4	2	4	Adult: Size details essential for adult
37.093	559	<i>Coleophora peribenanderi</i>		Y	1988	2016	11	2	4	
37.027	513	<i>Coleophora potentillae</i>		Y	1988	1988	1		4	
37.017	494a	<i>Coleophora prunifoliae</i>		Y	2014	2015	2		4	
37.042	545	<i>Coleophora saturatella</i>		Y	2005	2005	1	1	4	
37.083	565	<i>Coleophora saxicolella</i>		Y	2003	2015	23		4	
37.015	493	<i>Coleophora serratella</i>		Y	1983	2016	27	1	4	
37.013	501	<i>Coleophora siccifolia</i>		Y	2003	2003	1	1	4	
37.016	495	<i>Coleophora spinella</i>	Apple & Plum Case-bean	Y	2003	2016	7		4	
37.084	566	<i>Coleophora sternipennella</i>		Y	2002	2006	4	2	4	
37.099	553	<i>Coleophora striatipennella</i>		Y	2011	2012	2		4	
37.076	580	<i>Coleophora sylvaticella</i>		Y	1985	1985	1		4	
37.070	583	<i>Coleophora tamesis</i>		Y	2003	2007	3		4	
37.081	561	<i>Coleophora therinella</i>		Y	1940	1940		1	4	
37.033	516	<i>Coleophora trifolii</i>		Y	1982	2016	101	2	2	Adult: Size of moth and antenna details essential
37.095	556	<i>Coleophora trochilella</i>		Y	2004	2004	1		4	
37.086	568	<i>Coleophora versurella</i>		Y	2002	2002		1	4	
49.113	952	<i>Commophila aeneana</i>		Y	2006	2017	2	1	3	
10.006	127	<i>Coptotriche angusticollella</i>		Y	2013	2013	1		3	
10.003	125	<i>Coptotriche marginea</i>		Y	1907	2016	176		2	
63.086	1301	<i>Crambus lathoniellus</i>		Y	1907	2016	914	29	1	
63.081	1294	<i>Crambus pascuella</i>		Y	1978	2016	2176	19	1	
63.088	1302	<i>Crambus perlella</i>		Y	1907	2016	990	17	1	
63.085	1300	<i>Crambus pratella</i>		Y	1978	1998	8		5	
28.013	637	<i>Crassa tinctella</i>		Y	2012	2102	1		3	
28.014	642	<i>Crassa unitella</i>		Y	1981	2016	643	2	2	
45.026	1491	<i>Crombruggia distans</i>	Breckland Plume	Y	2013	2013	1		5	
62.007	1433	<i>Cryptoblabes bistriga</i>		Y	1907	2015	42	1	1	
63.054	1409a	<i>Cydalima perspectalis</i>		Y	2017	2017			1	
49.343	1262	<i>Cydia amplana</i>		Y	2012	2016	2	1	3	
49.330	1269	<i>Cydia conicolana</i>		Y	2014	2014	1		3	
49.332	1268	<i>Cydia coniferana</i>		Y	1987	2011	2		3	
49.334	1267	<i>Cydia cosmophorana</i>		Y	2011	2011	1		3	
49.342	1259	<i>Cydia fagiglandana</i>		Y	1990	2014	11	1	2	
49.329	1266a	<i>Cydia illutana</i>		Y	2011	2011	1		3	
49.324	1257	<i>Cydia nigricana</i>	Pea Moth	Y	1993	2012	14		2	
49.338	1261	<i>Cydia pomonella</i>	Codling Moth	Y	1907	2016	695	15	1	
49.341	1260	<i>Cydia splendana</i>		Y	1979	2016	658	3	2	
49.335	1254	<i>Cydia strobilella</i>	Spruce Seed Moth	Y	2014	2016	2		3	
49.325	1255	<i>Cydia ulicetana</i>		Y	1940	2016	64	12	1	
11.005	179	<i>Dahlica lichenella</i>	Lichen Case-bearer	Y	2005	2012	8		N/A	Parthenogenetic
11.003	176	<i>Dahlica triquetrella</i>		Y	2005	2012	5		N/A	Parthenogenetic
28.020	650	<i>Dasydera olivella</i>		Y	1980	1980	1		5	
28.005	638a	<i>Denisia albimaculea</i>		Y	2003	2016	4	1	3	
28.006	638	<i>Denisia augustella</i>		Y	1989	1989	1		5	Probably extinct
28.004	636	<i>Denisia similella</i>		Y	2003	2016	12	1	1	

ABH	B&F	SPECIES	Vernacular	VC55 Listed?	First VC55 Record	Last VC55 Record	Records in VC55 Database	Specimens in VC55 Collection	VC55 Verification Grade (Adults)	National Guide Comment
32.045	680	<i>Depressaria albipunctella</i>		Y	1907	1907			5	
32.038	674	<i>Depressaria badiella</i>		Y	2001	2015	4	2	4	
32.047	682	<i>Depressaria chaerophylli</i>		Y	2017	2017	1		3	
32.039	670	<i>Depressaria daucella</i>		Y	1975	2008	5	4	3	
32.037	673	<i>Depressaria pimpinellae</i>		Y	2015	2015	1		3	
32.036	672	<i>Depressaria radiella</i>	Parsnip Moth	Y	1974	2016	83	9	2	
32.043	678	<i>Depressaria sordidatella</i>		Y	1983	2015	4		4	
32.040	671	<i>Depressaria ultimella</i>		Y	2011	2011	1		3	
63.044	1403	<i>Diasemiopsis ramburialis</i>		Y	2014	2014	1	1	3	
35.022	862	<i>Dichomeris marginella</i>	Juniper Webber	Y	1980	2016	110	5	1	
49.313	1279	<i>Dichrorampha acuminatana</i>		Y	1994	2016	81		2	
49.311	1287	<i>Dichrorampha aeratana</i>		Y	2003	2011	4	1	4	
49.320	1274	<i>Dichrorampha alpinana</i>		Y	1985	2015	32		4	
49.312	1280	<i>Dichrorampha consortana</i>		Y	2003	2005	4		5	
49.319	1275	<i>Dichrorampha flavidorsana</i>		Y	2009	2013	3	1	4	
49.321	1273	<i>Dichrorampha petiverella</i>		Y	1907	2016	3		4	
49.322	1276	<i>Dichrorampha plumbagana</i>		Y	2003	2004	2	1	4	
49.309	1285	<i>Dichrorampha plumbana</i>		Y	2004	2016	4	1	4	
49.310	1286	<i>Dichrorampha sedatana</i>		Y	2004	2004	2		4	
49.316	1278	<i>Dichrorampha sequana</i>		Y	2001	2016	9	1	2	
49.315	1281	<i>Dichrorampha simpliciana</i>		Y	1982	2015	14	2	4	
49.318	1284	<i>Dichrorampha vancouverana</i>		Y	2002	2015	16	1	2	
62.028	1454	<i>Dioryctria abietella</i>		Y	1980	2016	75	1	2	
62.026	1454a	<i>Dioryctria schuetzeella</i>		Y	2006	2006	1		3	
62.027	1455	<i>Dioryctria simplicella</i>		Y	1985	2014	9	1	2	
62.025	1454b	<i>Dioryctria sylvestrella</i>		Y	2012	2014	2		3	
11.001	180	<i>Diplodoma laichartingella</i>		Y	1907	2013	2	2	3	
49.004	1010	<i>Ditula angustiorana</i>	Red-barred Tortrix	Y	1980	2016	1137	13	1	
29.001	663	<i>Diurnea fagella</i>		Y	1907	2016	568	40	1	
29.002	664	<i>Diurnea lipsiella</i>		Y	1907	2015	7	4	2	
63.121	1329	<i>Donacula forcicella</i>		Y	1907	2016	125	4	2	
63.122	1330	<i>Donacula mucronella</i>		Y	1985	2014	6		2	
63.046	1403a	<i>Duponchelia fovealis</i>		Y	2005	2015	3	1	3	
2.001	6	<i>Dyseriocrania subpurpurella</i>		Y	1907	2016	240	7	2	
49.047	1030	<i>Eana incanana</i>		Y	1940	2016	22	2	4	
49.045	1029	<i>Eana osseana</i>		Y	1991	1991	1		3	
4.089	37	<i>Ectoedemia albifasciella</i>		Y	1973	2015	16		4	
4.094	28	<i>Ectoedemia angulifasciella</i>		Y	1973	2015	31		4	
4.085	23	<i>Ectoedemia argyropeza</i>		Y	2006	2013	6		4	
4.095	29	<i>Ectoedemia atricollis</i>		Y	1973	2015	16		4	
4.076	20	<i>Ectoedemia decentella</i>		Y	2001	2015	22		2	
4.088	36a	<i>Ectoedemia heringella</i>		Y	2012	2016	8		4	
4.091	39	<i>Ectoedemia heringi</i>		Y	1993	2010	7		4	
4.082	25	<i>Ectoedemia intimella</i>		Y	1993	2011	10		4	
4.075	22	<i>Ectoedemia louisella</i>		Y	2013	2014	2		4	
4.100	35	<i>Ectoedemia minimella</i>		Y	1974	2007	10		4	
4.099	34	<i>Ectoedemia occultella</i>		Y	1892	2015	45		4	
4.078	42	<i>Ectoedemia septembrella</i>		Y	1907	2011	5		4	
4.074	21	<i>Ectoedemia sericopeza</i>		Y	2012	2012	2		4	
4.090	38	<i>Ectoedemia subbimaculella</i>		Y	1907	2013	33		4	
4.084	24	<i>Ectoedemia turbidella</i>		Y	2013	2103	1		4	
18.007	469	<i>Eidophasia messingiella</i>		Y	2007	2011	3		3	
38.017	622	<i>Elachista adscitella</i>		Y	2003	2013	3	1	3	
38.046	630	<i>Elachista albidella</i>		Y	1907	1907			5	
38.030	601	<i>Elachista albifrontella</i>		Y	1907	2016	10	2	2	
38.028	599	<i>Elachista alpinella</i>		Y	1997	1997	1		4	
38.032	602	<i>Elachista apicipunctella</i>		Y	1907	2016	58		2	
38.004	610	<i>Elachista argentella</i>		Y	1907	2016	93	19	1	
38.025	597	<i>Elachista atricomella</i>		Y	2007	2016	9		2	
38.018	623	<i>Elachista bisulcella</i>		Y	2003	2015	6		2	
38.037	607	<i>Elachista canapennella</i>		Y	1907	2016	53	1	4	
38.047	631	<i>Elachista freyerella</i>		Y	1907	2012	3	5	4	
38.015	620	<i>Elachista gangabella</i>		Y	2004	2011	3	1	3	
38.022	594	<i>Elachista gleichenella</i>		Y	2012	2016	2		3	
38.036	606	<i>Elachista humilis</i>		Y	2002	2008	6		4	
38.029	600	<i>Elachista luticomella</i>		Y	1907	2016	1		5	
38.039	609	<i>Elachista maculicerusella</i>		Y	1907	2016	122	7	2	
38.012	617	<i>Elachista obliquella</i>		Y	1907	1907			5	
38.019	593	<i>Elachista regificella</i>		Y	1985	1993	4		3	
38.038	608	<i>Elachista rufocinerea</i>		Y	1907	2016	70	14	2	

ABH	B&F	SPECIES	Vernacular	VC55 Listed?	First VC55 Record	Last VC55 Record	Records in VC55 Database	Specimens in VC55 Collection	VC55 Verification Grade (Adults)	National Guide Comment
38.016	621	<i>Elachista subalbidella</i>		Y	2003	2015	6	1	2	
38.033	603	<i>Elachista subnigrella</i>		Y	1980	1981	1	5	4	
38.007	613	<i>Elachista subocellea</i>		Y	2002	2015	19	1	2	
38.005	611	<i>Elachista triatomea</i>		Y	1993	2010	3		3	
38.045	629	<i>Elachista utonella</i>		Y	2013	2013	1		4	
63.114	1345	<i>Elophila nymphaeaeta</i>	Brown China-mark	Y	1885	2016	533	3	1	
45.044	1524	<i>Emmelina monodactyla</i>	Common Plume	Y	1885	2016	1713	16	1	
49.200	1216	<i>Enarmonia formosana</i>	Cherry Bark Tortrix	Y	1980	2016	53	9	1	
49.192	1103	<i>Endothenia ericetana</i>		Y	1998	1998	1		5	
49.186	1097	<i>Endothenia gentianaearna</i>		Y	1985	2016	54	2	4	
49.188	1099	<i>Endothenia marginana</i>		Y	1997	2016	41	2	2	Hindwing check required
49.191	1102	<i>Endothenia nigricostana</i>		Y	1907	2016	1	1	3	
49.187	1098	<i>Endothenia oblongana</i>		Y	2013	2016	2	1	4	
49.193	1104	<i>Endothenia quadrimaculana</i>		Y	1907	2015	16	1	1	
62.077	1424	<i>Endotricha flammealis</i>		Y	2000	2016	401	2	1	
28.009	648	<i>Endrosis sarcitrella</i>	White-shouldered Hou	Y	1907	2016	1228	20	1	
49.005	1006	<i>Epagoge grotiana</i>		Y	1907	2016	10		3	
47.005	483	<i>Epermenia chaerophyllella</i>		Y	1983	2016	55		1	
47.006	481	<i>Epermenia falciformis</i>		Y	1991	2015	32	8	1	
62.064	1473	<i>Ephestia elutella</i>	Cacao Moth	Y	1938	1990	2	5	4	
62.063	1475	<i>Ephestia kuehniella</i>	Mediterranean Flour M	Y	1986	2008	7		3	
62.065	1474	<i>Ephestia unicolorella</i>		Y	2010	2016	24	1	3	
49.286	1184a	<i>Epiblema cirsiana</i>		Y	2004	2016	7	1	4	Size and sex essential
49.289	1187	<i>Epiblema costipunctana</i>		Y	1993	2016	16	1	2	
49.288	1183	<i>Epiblema foenella</i>		Y	1974	2016	93	2	1	
49.291	1181	<i>Epiblema grandaevana</i>		Y	2001	2015	14	3	2	
49.285	1184	<i>Epiblema scutulana</i>		Y	1907	2016	31	8	4	Size and sex essential
49.284	1186	<i>Epiblema sticticana</i>		Y	1907	2013	20	10	4	
49.234	1150	<i>Epinotia abbreviana</i>		Y	1907	2016	30	4	2	
49.254	1133	<i>Epinotia bilunana</i>		Y	1975	2016	271	2	1	
49.231	1155	<i>Epinotia brunnichiana</i>		Y	1981	2016	172	8	4	
49.229	1154	<i>Epinotia caprana</i>		Y	1907	2014	3		3	Unicolorous forms = 4
49.256	1138a	<i>Epinotia cinereana</i>		Y	2014	2014	1		5	
49.238	1147	<i>Epinotia cruciana</i>	Willow Tortrix	Y	1907	2008	2		3	
49.243	1135	<i>Epinotia demarniana</i>		Y	2001	2016	23	3	2	
49.240	1136	<i>Epinotia immundana</i>		Y	1940	2016	91	18	2	
49.232	1152	<i>Epinotia maculana</i>		Y	1995	2011	4		3	
49.242	1145	<i>Epinotia nanana</i>		Y	1990	2016	4		4	
49.255	1138	<i>Epinotia nisella</i>		Y	1983	2016	376		1	
49.246	1130	<i>Epinotia pygmaeana</i>		Y	1989	1989	1	2	3	
49.249	1134	<i>Epinotia ramella</i>		Y	1982	2016	216	3	1	
49.251	1146	<i>Epinotia rubiginosana</i>		Y	2005	2010	5	1	3	
49.237	1144	<i>Epinotia signatana</i>		Y	2010	2016	11	1	2	
49.233	1156	<i>Epinotia solandriana</i>		Y	1990	2015	19	4	2	Unicolorous forms = 4
49.228	1153	<i>Epinotia sordidana</i>		Y	2006	2006	1		4	
49.244	1132	<i>Epinotia subocellana</i>		Y	1907	2015	33	3	2	
49.252	1142	<i>Epinotia tedella</i>		Y	1985	2012	6	3	2	
49.248	1139	<i>Epinotia tenerana</i>	Nut Bud Moth	Y	1907	2016	36	6	1	
49.245	1137	<i>Epinotia tetraquetraana</i>		Y	1907	2009	19	2	2	
49.230	1151	<i>Epinotia trigonella</i>		Y	1980	2010	18	2	2	
49.039	998	<i>Epiphyas postvittana</i>	Light Brown Apple Mot	Y	1989	2016	5441	3	1	
2.006	11	<i>Eriocrania cicatricella</i>		Y	2005	2006	2	1	4	
2.005	10	<i>Eriocrania salopiella</i>		Y	1989	1989	1		5	
2.008	12	<i>Eriocrania sangii</i>		Y	1996	2016	4	3	4	
2.007	13	<i>Eriocrania semipurpurella</i>		Y	1989	2011	10		4	
2.003	8	<i>Eriocrania unimaculella</i>		Y	2005	2005	1	1	3	
28.019	649	<i>Esperia sulphurella</i>		Y	1907	2016	192	16	1	
33.006	720	<i>Ethmia bipunctella</i>		Y	2008	2008	1		3	
33.001	718	<i>Ethmia dodecea</i>		Y	1995	2016	124	1	1	
62.020	1451a	<i>Etiella zinckenella</i>		Y	2009	2009	1	1	3	Scarce immigrant/few records
49.276	1190	<i>Eucosma aspidiscana</i>		Y	1983	1994	2		3	
49.269	1197	<i>Eucosma campoliana</i>		Y	1989	2016	170	1	1	
49.265	1201	<i>Eucosma cana</i>		Y	1981	2016	744	4	2	

ABH	B&F	SPECIES	Vernacular	VC55 Listed?	First VC55 Record	Last VC55 Record	Records in VC55 Database	Specimens in VC55 Collection	VC55 Verification Grade (Adults)	National Guide Comment
49.275	1192	<i>Eucosma conterminana</i>		Y	2001	2016	49	1	2	
49.266	1200	<i>Eucosma hohenwartiana</i>		Y	1983	2016	45	4	2	
49.264	1202	<i>Eucosma obumbratana</i>		Y	1990	2016	36	2	2	
49.277	1199	<i>Eucosma pupillana</i>		Y	1989	1997	4		3	
49.199	1217	<i>Eucosmomorpha albersana</i>		Y	1907	1907		5	5	
49.144	1113	<i>Eudemis profundana</i>		Y	1980	2016	120	1	2	
63.069	1342	<i>Eudonia angustea</i>		Y	1975	2016	715	15	1	
63.072	1343	<i>Eudonia delunella</i>		Y	1907	2016	9		3	
63.067	1338	<i>Eudonia lacustrata</i>		Y	1907	2016	1253	2	2	
63.071	1341	<i>Eudonia lineola</i>		Y	1983	2015	1		3	
63.074	1344	<i>Eudonia mercurella</i>		Y	1974	2016	1025	5	2	
63.068	1339	<i>Eudonia murana</i>		Y	1973	1983	2	2	3	
63.075	1336	<i>Eudonia pallida</i>		Y	1990	2016	121	9	1	
63.073	1340	<i>Eudonia truncicolella</i>		Y	1907	2016	49	9	2	
35.081	731	<i>Eulamprotes atrella</i>		Y	1986	2015	51	2	2	
35.080	732	<i>Eulamprotes unicolorella</i>		Y	2003	2011	6	1	4	
49.090	1015	<i>Eulia ministrana</i>		Y	1907	2016	59	11	1	
49.111	954	<i>Eupoecilia angustana</i>		Y	1990	2015	26	1	1	
15.016	297	<i>Euspilapteryx auroguttella</i>		Y	1996	2016	24		1	
62.050	1469	<i>Euzophera cinerosella</i>		Y	1978	2016	5	1	3	
62.048	1470	<i>Euzophera pinguis</i>		Y	1907	2016	1012	6	1	
63.058	1357	<i>Evergestis extimalis</i>		Y	1907	1907			5	
63.057	1356	<i>Evergestis forficalis</i>	Garden Pebble	Y	1885	2016	1304	19	1	
63.059	1356a	<i>Evergestis limbata</i>		Y	2013	2016	5	1	3	
63.060	1358	<i>Evergestis pallidata</i>		Y	1974	2016	60		1	
49.043	1026	<i>Exapate congregatella</i>		Y	1983	2005	3		3	
35.159	760	<i>Exoteleia dodecella</i>		Y	2002	2016	4	2	3	
62.006	1425	<i>Galleria mellonella</i>	Wax Moth	Y	1907	2016	140	3	1	
35.097	800	<i>Gelechia rhombella</i>		Y	1983	2017	2		3	
35.099	801a	<i>Gelechia senticetella</i>		Y	2013	2016	6		2	
35.101	802a	<i>Gelechia sororculella</i>		Y	2014	2014	1		3	
35.106	807	<i>Gelechia turpella</i>		Y	1907	1907			5	
45.009	1503	<i>Gillmeria ochrodactyla</i>	Tansy Plume	Y	1974	2015	5	1	3	
45.008	1504	<i>Gillmeria pallidactyla</i>	Yarrow Plume	Y	1907	2016	60	8	2	
19.003	396	<i>Glyphipteryx fuscoviridella</i>		Y	1907	2016	7	10	2	
19.007	391	<i>Glyphipteryx simpliciella</i>	Cocksfoot Moth	Y	1907	2016	107	37	2	
19.002	397	<i>Glyphipteryx thrasonella</i>		Y	1981	2015	9	1	2	
15.014	293	<i>Gracillaria syringella</i>		Y	1907	2016	125	11	1	
49.347	1241	<i>Grapholita compositella</i>		Y	1993	2016	29	1	1	
49.357	1247	<i>Grapholita funebrana</i>	Plum Fruit Moth	Y	1990	2016	9	2	4	
49.349	1242	<i>Grapholita internana</i>		Y	2002	2014	4		3	
49.359	1245	<i>Grapholita janthinana</i>		Y	1990	2016	56	2	2	
49.354	1251	<i>Grapholita jungiella</i>		Y	1907	2016	46	28	1	
49.358	1246	<i>Grapholita tenebrosana</i>		Y	2007	2014	2		4	
49.302	1207a	<i>Gravitarmata margarotana</i>		Y	2013	2013	1	1	3	
49.108	930	<i>Gynnidiomorpha alismana</i>		Y	2014	2014	2	1	4	
49.105	929	<i>Gynnidiomorpha vectisana</i>		Y	2005	2005	1		4	
49.283	1167	<i>Gypsonoma aceriana</i>		Y	1982	2016	38	2	2	
49.279	1169	<i>Gypsonoma dealbana</i>		Y	1892	2016	193	4	1	
49.278	1171	<i>Gypsonoma minutana</i>		Y	2013	2013	1		3	
49.280	1170	<i>Gypsonoma oppressana</i>		Y	2006	2016	6		2	
49.281	1168	<i>Gypsonoma sociana</i>		Y	1990	2016	108		2	
12.044	212	<i>Haplotinea insectella</i>		Y	1907	1907			5	
28.023	652a	<i>Harpella forficella</i>		Y	2012	2012	1		3	
49.156	1083	<i>Hedya nubiferana</i>	Marbled Orchard Tortr	Y	1981	2016	1212	17	2	
49.158	1084	<i>Hedya ochroleucana</i>		Y	1907	2016	125	3	2	
49.157	1082	<i>Hedya pruniana</i>	Plum Tortrix	Y	1907	2016	685	1	2	
49.155	1086	<i>Hedya salicella</i>		Y	1907	2016	196	1	1	
35.031	868	<i>Helcystogramma rufescens</i>		Y	1979	2016	343	6	2	
6.004	156	<i>Heliozelia resplendella</i>		Y	1993	2010	5		4	Adults very confusable
6.003	154	<i>Heliozelia sericiella</i>		Y	1993	2011	5	5	4	Adults very confusable
45.039	1519	<i>Hellinsia carphodactyla</i>	Citron Plume	Y	2002	2016	29	2	2	
45.040	1518	<i>Hellinsia lienigianus</i>	Mugwort Plume	Y	2015	2015	1		3	
45.041	1520	<i>Hellinsia osteodactylus</i>	Small Goldenrod Plume	Y	2005	2010	5		3	
45.038	1522	<i>Hellinsia tephradactyla</i>	Plain Plume	Y	2005	2005	1		3	
28.010	647	<i>Hofmannophila pseudospretella</i>	Brown House-moth	Y	1907	2016	2643	29	1	
62.054	1481	<i>Homoeosoma sinuella</i>		Y	1977	2016	82	1	2	
35.018	858	<i>Hypatima rhomboidella</i>		Y	1907	2016	69	1	1	

ABH	B&F	SPECIES	Vernacular	VC55 Listed?	First VC55 Record	Last VC55 Record	Records in VC55 Database	Specimens in VC55 Collection	VC55 Verification Grade (Adults)	National Guide Comment
62.075	1413	<i>Hypsopygia costalis</i>	Gold Triangle	Y	1907	2016	1527	34	1	
62.076	1415	<i>Hypsopygia glaucinalis</i>		Y	1968	2016	547	10	1	
49.096	924	<i>Hysterophora maculosana</i>		Y	2007	2007	1	1	3	
8.002	130	<i>Incurvaria masculella</i>		Y	1907	2016	89	15	2	
8.003	131	<i>Incurvaria oehlmanniella</i>		Y	2003	2016	44	1	2	
8.001	129	<i>Incurvaria pectinea</i>		Y	1907	1955		1	3	pectinea and masculella are confusable
8.004	132	<i>Incurvaria praelatella</i>		Y	1907	2011	5	3	3	
12.006	203	<i>Infurcitinea argentimaculella</i>		Y	1907	1907			5	
35.053	729	<i>Isophrictis striatella</i>		Y	2002	2013	7		2	
49.002	1014	<i>Isotrias rectifasciana</i>		Y	1907	2016	51	1	2	
9.003	136	<i>Lampronia corticella</i>	Raspberry Moth	Y	1907	1940		9	3	
9.002	135	<i>Lampronia luzella</i>		Y	1995	1995	1		3	
9.004	137	<i>Lampronia morosa</i>		Y	2017	2017	2	1	3	
49.345	1219	<i>Lathronympha strigana</i>		Y	1907	2016	172	4	1	
21.004	254	<i>Leucoptera laburnella</i>	Laburnum Leaf Miner	Y	1907	2016	23	3	2	
21.008	260	<i>Leucoptera malifoliella</i>	Pear Leaf Blister Moth	Y	1976	2016	20	1	2	
21.005	256	<i>Leucoptera spartifoliella</i>		Y	1986	2014	19	1	2	
15.021	314	<i>Leucospilapteryx omissella</i>		Y	2007	2007	1		3	
34.004	898	<i>Limnaecia phragmitella</i>		Y	1984	2016	271	2	1	
49.183	1108	<i>Lobesia abscisana</i>		Y	1979	2016	306	2	2	
49.185	1109	<i>Lobesia littoralis</i>		Y	1980	2016	60	11	1	
63.002	1368	<i>Loxostege sticticalis</i>		Y	1955	2002	2	3	3	
49.029	1002	<i>Lozotaenia forsterana</i>		Y	1907	2016	468	5	1	
49.040	1001	<i>Lozotaeniodes formosana</i>		Y	1978	2016	409	9	1	
11.009	185	<i>Luffia ferchaultella</i>		Y	1984	2014	27		N/A	Parthenogenetic
32.003	668	<i>Luquetia lobella</i>		Y	2006	2015	3		3	
21.001	263	<i>Lyonetia clerkella</i>	Apple Leaf Miner	Y	1976	2016	790	4	1	
45.023	1495	<i>Marasmarcha lunaedactyla</i>	Crescent Plume	Y	1996	2015	16	2	1	
45.033	1510	<i>Merrifieldia leucodactyla</i>	Thyme Plume	Y	1996	2005	2		3	
35.056	724	<i>Metzneria lappella</i>		Y	1991	2015	35	3	2	
35.058	726	<i>Metzneria metzneriella</i>		Y	1986	2016	107	2	2	
1.004	4	<i>Micropterix aruncella</i>		Y	1907	2016	23		2	
1.003	3	<i>Micropterix aureatella</i>		Y	1892	2013	1		3	
1.005	5	<i>Micropterix calthella</i>		Y	1907	2016	69	14	2	
1.001	1	<i>Micropterix tunbergella</i>		Y	1907	2003	2	1	3	
35.093	792	<i>Mirificarma mulinella</i>		Y	1982	2016	21		2	
40.007	889a	<i>Mompha bradleyi</i>		Y	2004	2004	1	1	4	
40.001	885	<i>Mompha conturbatella</i>		Y	1990	2015	5	2	3	
40.010	893	<i>Mompha epilobiella</i>		Y	1907	2016	68	2	2	
40.006	890	<i>Mompha jurassicella</i>		Y	2011	2011	1		3	
40.003	887	<i>Mompha lacteella</i>		Y	1907	2016	3		3	
40.011	880	<i>Mompha langiella</i>		Y	2012	2016	5	1	3	
40.013	882	<i>Mompha locupletella</i>		Y	1988	1996	3		3	
40.012	884	<i>Mompha miscella</i>		Y	2016	2016	1		3	
40.002	886	<i>Mompha ochraceella</i>		Y	1907	2016	84		2	
40.004	888	<i>Mompha propinquella</i>		Y	1907	2016	82	1	2	
40.015	883	<i>Mompha raschkiella</i>		Y	1940	2016	103	2	2	
40.009	891	<i>Mompha sturnipennella</i>		Y	1984	2016	11	1	2	
40.008	892	<i>Mompha subbistrigella</i>		Y	1980	2016	404	9	2	
40.014	881	<i>Mompha terminella</i>		Y	1985	1991	2		3	
35.065	728	<i>Monochroa cytisella</i>		Y	2013	2014	2		3	
35.077	740	<i>Monochroa hornigi</i>		Y	2015	2015	1		4	
35.071	736	<i>Monochroa lucidella</i>		Y	1987	2014	15		2	
35.070	742	<i>Monochroa lutulentella</i>		Y	1993	2014	3		4	
35.066	735	<i>Monochroa tenebrella</i>		Y	1907	2004	1		4	
12.039	230	<i>Monopis crocipitella</i>		Y	1980	2016	22	1	2	
12.040	231	<i>Monopis imella</i>		Y	2004	2016	3	1	3	
12.036	227	<i>Monopis laevigella</i>	Skin Moth	Y	1907	2016	51	8	2	
12.038	229	<i>Monopis obviella</i>		Y	1991	2016	38		2	Image showing hindwing essential
12.037	228	<i>Monopis weaverella</i>		Y	1986	2016	86	2	2	
12.010	196	<i>Morophaga choragella</i>		Y	2002	2015	13	2	1	
62.042	1458	<i>Myelois circumvoluta</i>	Thistle Ermine	Y	1974	2016	477	10	1	
11.002	175	<i>Narycia dupicella</i>		Y	1883	2016	12	2	2	
12.021	220	<i>Nemapogon clematella</i>		Y	1907	2014	12		1	
12.016	216	<i>Nemapogon cloacella</i>	Cork Moth	Y	1907	2016	86	5	4	

ABH	B&F	SPECIES	Vernacular	VC55 Listed?	First VC55 Record	Last VC55 Record	Records in VC55 Database	Specimens in VC55 Collection	VC55 Verification Grade (Adults)	National Guide Comment
12.015	215	<i>Nemapogon granella</i>	Corn Moth	Y	1907	2006	3	1	4	
12.019	219	<i>Nemapogon ruricolella</i>		Y	2006	2006	1		4	
12.020	218	<i>Nemapogon variatella</i>		Y	1992	1992	1		5	
12.017	217	<i>Nemapogon wolffiella</i>		Y	2003	2016	4	1	4	
7.014	143	<i>Nematopogon metaxella</i>		Y	2008	2010	3		3	
7.012	141	<i>Nematopogon schwarziellus</i>		Y	1907	2015	11	2	2	
7.015	140	<i>Nematopogon swammerdamella</i>		Y	1907	2016	142	12	2	
12.014	223	<i>Nemaxera betulinella</i>		Y	2007	2010	2		3	
7.001	148	<i>Nemophora degeerella</i>		Y	1892	2016	217	4	1	
35.017	797	<i>Neofaculta ericotella</i>		Y	1983	2015	14		2	
49.042	1027	<i>Neosphaleroptera nubilana</i>		Y	1907	2004	4	3	4	
62.032	1465	<i>Nephopterix angustella</i>		Y	2006	2017	2		3	
12.034	237	<i>Niditinea fuscella</i>	Brown-dotted Clothes	Y	1907	2015	18		4	
12.035	238	<i>Niditinea strioella</i>		Y	2013	2017	2	1	4	
63.052	1398	<i>Nomophila noctuella</i>	Rush Veneer	Y	1907	2016	505	10	1	
49.292	1174	<i>Notocelia cynosbatella</i>		Y	1907	2016	618	15	1	
49.295	1178	<i>Notocelia roborana</i>		Y	1907	2016	237	3	2	
49.297	1177	<i>Notocelia rosaecolana</i>		Y	1907	2016	66	6	2	
49.293	1180	<i>Notocelia tetragonana</i>		Y	1907				5	
49.298	1176	<i>Notocelia trimaculana</i>		Y	1907	2016	504	1	2	
49.294	1175	<i>Notocelia uddmanniana</i>	Bramble Shoot Moth	Y	1907	2016	976	4	1	
63.118	1350	<i>Nymphula nitidulata</i>	Beautiful China-mark	Y	1885	2016	155	1	1	
17.015	252	<i>Ochsenheimeria urella</i>		Y	1907	2014	1		3	
16.024	445	<i>Ocnerostoma friesei</i>		Y	2003	2015	6	2	4	
27.003	871	<i>Oegoconia deauratella</i>		Y	2003	2013	6		4	
27.001	870	<i>Oegoconia quadripuncta</i>		Y	1982	2014	55		4	
N/A	870x	<i>Oegoconia quadripuncta agg.</i>		Y	2010	2016	230	8	1	
45.037	1523	<i>Oidaematophorus lithodactyla</i>	Dusky Plume	Y	1907	2012	3		3	
49.179	1080	<i>Olethreutes arcuella</i>		Y	1863	1863			5	
49.001	1013	<i>Olindia schumacherana</i>		Y	1984	2015	19	1	1	
5.001	119	<i>Opostega salaciella</i>		Y	1983	2016	12		1	Confusion with <i>Elachista argentella</i>
62.011	1450	<i>Ortholepis betulae</i>		Y	1907	1907			5	
49.154	1087	<i>Orthotaenia undulana</i>		Y	1907	2015	27	7	2	
19.001	470	<i>Orthotelia sparganella</i>		Y	1907	2016	23	5	1	
63.028	1375	<i>Ostrinia nubilalis</i>	European Corn-borer	Y	1983	2010	6	2	2	
63.048	1408	<i>Palpita vitrealis</i>		Y	1980	2015	9	2	2	
49.365	1229	<i>Pammene albuginana</i>		Y	1993	2005	2		5	
49.363	1228	<i>Pammene argyrana</i>		Y	1907	2015	12	3	2	Hindwing examined - otherwise = 4
49.379	1272	<i>Pammene aurana</i>		Y	1982	2016	76	7	1	
49.376	1233	<i>Pammene aurita</i>		Y	2001	2016	82	2	1	
49.367	1236	<i>Pammene fasciana</i>		Y	1982	2016	131	3	2	
49.380	1271	<i>Pammene gallicana</i>		Y	1907	1907			5	
49.377	1237	<i>Pammene germanica</i>		Y	2002	2015	6	1	2	
49.362	1227	<i>Pammene giganteana</i>		Y	1987	2014	2		3	
49.372	1232	<i>Pammene populana</i>		Y	2016	2016	1		5	
49.375	1234	<i>Pammene regiana</i>		Y	1992	2016	48	1	2	
49.371	1239	<i>Pammene rhediella</i>	Fruitlet Mining Tortrix	Y	1907	2014	20	1	1	
49.360	1223	<i>Pammene splendidulana</i>		Y	1990	1990	1	1	3	
49.374	1235	<i>Pammene trauniana</i>		Y	2016	2016	2		4	
34.001	899	<i>Pancalia leuwenhoeckella</i>		Y	1985	2016	9	3	2	
49.025	970	<i>Pandemis cerasana</i>	Barred Fruit-tree Tortrix	Y	1907	2016	1437	9	2	
49.023	971	<i>Pandemis cinnamomeana</i>		Y	1892	2015	61		2	
49.024	969	<i>Pandemis corylana</i>	Chequered Fruit-tree T	Y	1973	2016	886	7	1	
49.027	973	<i>Pandemis dumetana</i>		Y	1974	2007	3		5	
49.026	972	<i>Pandemis heparana</i>	Dark Fruit-tree Tortrix	Y	1907	2016	1315	35	2	
35.161	756	<i>Parachronistis albiceps</i>		Y	1983	2016	25		1	
63.117	1348	<i>Parapoynx stratiotata</i>	Ringed China-mark	Y	1982	2016	257	3	1	
16.019	440	<i>Paraswammerdamia albicapitella</i>		Y	1982	2016	69	3	2	
16.020	441	<i>Paraswammerdamia nebulella</i>		Y	1940	2016	341	2	2	Category 4 if poorly marked / worn
63.030	1374	<i>Paratalanta hyalinalis</i>		Y	1907	1907			5	
63.029	1373	<i>Paratalanta pandalis</i>	Bordered Pearl	Y	1976	1976	1		5	
15.001	299	<i>Parectopa ononidis</i>		Y	2012	2012	1		3	
15.028	303	<i>Parornix anglicella</i>		Y	1892	2016	350	3	4	
15.025	301	<i>Parornix betulae</i>		Y	1985	2014	30		4	

ABH	B&F	SPECIES	Vernacular	VC55 Listed?	First VC55 Record	Last VC55 Record	Records in VC55 Database	Specimens in VC55 Collection	VC55 Verification Grade (Adults)	National Guide Comment
15.029	304	<i>Parornix devoniella</i>		Y	1907	2015	76	1	4	
15.026	302	<i>Parornix fagivora</i>		Y	1981	2016	11		4	
15.032	308	<i>Parornix finitimella</i>		Y	1982	2014	27	3	4	
15.030	305	<i>Parornix scoticella</i>		Y	2001	2016	14	1	4	
15.033	309	<i>Parornix torquillella</i>		Y	1892	2015	15		4	
49.101	926	<i>Phalonidia manniana</i>		Y	2002	2016	8		4	
47.001	478	<i>Phaulernis fulviguttella</i>		Y	1907	1907			5	
49.172	1073	<i>Phiaris schulziana</i>		Y	2001	2001	1	1	3	
49.008	1008	<i>Philedone gerningana</i>		Y	2002	2007	4	1	3	
49.092	921	<i>Phteoachroa inopiana</i>		Y	1993	2009	3		3	
49.095	925	<i>Phteoachroa rugosana</i>		Y	1992	2016	48	1	1	
49.094	923	<i>Phteoachroa sodaliana</i>		Y	2006	2015	8	1	2	
62.029	1452	<i>Phycita roborella</i>		Y	1980	2016	299	10	1	
62.058	1483	<i>Phycitodes binaevella</i>		Y	1974	2016	397	7	2	
62.057	1485	<i>Phycitodes maritima</i>		Y	2002	2016	18	3	4	
62.059	1484	<i>Phycitodes saxicola</i>		Y	1983	2013	16	2	4	
15.0931	366b	<i>Phyllocnistis citrella</i>		Y	2016	2016	1		3	Adventive
15.092	368	<i>Phyllocnistis unipunctella</i>		Y	1907	2016	22	13	2	
15.084	362	<i>Phyllonorycter acerifoliella</i>		Y	1907	2016	107		2	
15.046	326	<i>Phyllonorycter blancardella</i>		Y	1940	2014	20	1	4	
15.059	338	<i>Phyllonorycter cavella</i>		Y	1907	2003	5		4	
15.050	330	<i>Phyllonorycter cerasicolella</i>		Y	1993	2015	29		4	
15.087	365	<i>Phyllonorycter comparella</i>		Y	2013	2016	2		3	
15.064	342	<i>Phyllonorycter coryli</i>	Nut Leaf Blister Moth	Y	1907	2016	125		4	
15.052	332	<i>Phyllonorycter corylifoliella</i>		Y	1990	2016	217		2	
15.076	354	<i>Phyllonorycter emberizaepenella</i>		Y	1892	2015	6		2	
15.065	343	<i>Phyllonorycter esperella</i>		Y	2010	2016	5		4	
15.080	358	<i>Phyllonorycter froelichiella</i>		Y	1907	2013	14		2	
15.086	364	<i>Phyllonorycter geniculella</i>		Y	1993	2016	56		2	
15.034	315	<i>Phyllonorycter harrisella</i>		Y	1907	2016	61	5	2	
15.036	317	<i>Phyllonorycter heegeriella</i>		Y	1993	2013	10		2	
15.058	337	<i>Phyllonorycter hilarella</i>		Y	1999	2009	2		3	
15.085	363	<i>Phyllonorycter joannisi</i>		Y	1994	2016	56		2	
15.082	360	<i>Phyllonorycter klemannella</i>		Y	2011	2015	7		2	
15.051	331	<i>Phyllonorycter lantanella</i>		Y	2013	2016	10		2	
15.073	351	<i>Phyllonorycter lautella</i>		Y	1993	2011	4		3	
15.053	332a	<i>Phyllonorycter leucographella</i>	Firethorn Leaf Miner	Y	1995	2016	299		2	
15.063	341	<i>Phyllonorycter maestingella</i>		Y	1907	2016	74		4	
15.045	325	<i>Phyllonorycter mespilella</i>		Y	1907	1907			5	
15.040	321	<i>Phyllonorycter messaniella</i>		Y	1980	2016	73	5	2	
15.081	359	<i>Phyllonorycter nicellii</i>		Y	1907	2015	56		2	
15.043	323	<i>Phyllonorycter oxyacantheae</i>		Y	1993	2016	215		4	
15.041	321a	<i>Phyllonorycter platani</i>		Y	2006	2016	18		2	
15.039	320	<i>Phyllonorycter quercifoliella</i>		Y	1907	2016	44	1	2	
15.067	345	<i>Phyllonorycter rajella</i>		Y	1985	2015	43	1	2	
15.056	335	<i>Phyllonorycter salicolella</i>		Y	2001	2009	4		4	
15.074	352	<i>Phyllonorycter schreberella</i>		Y	1990	2016	50		2	
15.044	324	<i>Phyllonorycter sorbi</i>		Y	1892	2016	18		4	
15.049	329	<i>Phyllonorycter spinicolella</i>		Y	1994	2016	110		4	
15.079	357	<i>Phyllonorycter stettinensis</i>		Y	1993	2016	31		2	
15.066	344	<i>Phyllonorycter strigulatella</i>		Y	2009	2013	3		3	
15.037	318	<i>Phyllonorycter tenerella</i>		Y	1907	2016	2		3	
15.083	361	<i>Phyllonorycter trifasciella</i>		Y	1987	2011	14		2	
15.078	356	<i>Phyllonorycter tristrigella</i>		Y	1994	2016	69		2	
15.075	353	<i>Phyllonorycter ulmifoliella</i>		Y	1907	2016	28		4	
15.055	334	<i>Phyllonorycter viminetorum</i>		Y	1907	1907			5	
15.054	333	<i>Phyllonorycter viminiella</i>		Y	1994	2014	28		2	
8.005	128	<i>Phylloporia bistrigella</i>		Y	1892	2010	4		3	
49.180	1079	<i>Piniphila bifasciana</i>		Y	2001	2016	23	3	1	
45.005	1500	<i>Platyptilia calodactyla</i>	Goldenrod Plume	Y	1936	1936		1	3	
45.004	1501	<i>Platyptilia gonodactyla</i>	Triangle Plume	Y	1907	2016	139	15	2	
45.006	1502	<i>Platyptilia isodactylus</i>	Hoary Plume	Y	1907	2014	1		3	
63.112	1325	<i>Platytes alpinella</i>		Y	2000	2000	1	1	3	
63.038	1405	<i>Pleuroptya ruralis</i>	Mother of Pearl	Y	1885	2016	3626	16	1	
62.062	1479	<i>Plodia interpunctella</i>	Indian Meal Moth	Y	1907	2016	21	7	1	
18.003	465	<i>Plutella porrectella</i>		Y	1907	2016	60	2	1	
18.001	464	<i>Plutella xylostella</i>	Diamond-back Moth	Y	1907	2016	2563	17	1	
45.031	1514	<i>Porrittia galactodactyla</i>	Spotted White Plume	Y	1908	1956		4	3	
22.002	449	<i>Prays fraxinella</i>	Ash Bud Moth	Y	1907	2016	215	6	1	
	448x	<i>Prays fraxinella/ruficeps</i>		Y	2013	2013	16		1	

ABH	B&F	SPECIES	Vernacular	VC55 Listed?	First VC55 Record	Last VC55 Record	Records in VC55 Database	Specimens in VC55 Collection	VC55 Verification Grade (Adults)	National Guide Comment
22.003	448a	<i>Prays ruficeps</i>		Y	2013	2016	42		2	
48.002	388	<i>Prochoreutis myllerana</i>		Y	1907	2004	2	2	4	
48.003	387	<i>Prochoreutis sehestediana</i>		Y	1994	2008	2		4	
49.091	1011	<i>Pseudargyrotoza conwagana</i>		Y	1892	2016	868	16	1	
30.001	661	<i>Pseudatemelia flavifrontella</i>		Y	2002	2009	5		3	Or 4 if after mid-June
30.002	662	<i>Pseudatemelia subochreella</i>		Y	1985	1985	1		3	
49.299	1208	<i>Pseudococcyx posticana</i>		Y	2010	2012	2		3	
5.004	121	<i>Pseudopostega crepusculella</i>		Y	1994	2003	13	1	3	
49.145	1088	<i>Pseudosciaphila branderiana</i>		Y	1986	2015	6	2	2	
16.014	436	<i>Pseudoswammerdamia combinella</i>		Y	1907	2016	57		1	
35.153	773	<i>Pseudotelphusa paripunctella</i>		Y	1983	2011	4		3	
35.152	764	<i>Pseudotelphusa scalella</i>		Y	1907	2015	8	1	2	
35.107	859	<i>Psoricoptera gibbosella</i>		Y	2002	2014	6	1	2	
11.012	186	<i>Psyche casta</i>		Y	1984	2014	28	1	2	
12.048	200	<i>Psychoides filicivora</i>		Y	2002	2016	18		2	
12.047	199	<i>Psychoides verhuella</i>		Y	2009	2014	3		3	
45.030	1513	<i>Pterophorus pentadactyla</i>	White Plume	Y	1885	2016	332	10	1	
49.022	1000	<i>Ptycholoma lecheana</i>		Y	1863	2016	62	4	1	
49.021	987	<i>Ptycholomoides aeriferana</i>		Y	1981	2016	63	2	1	
62.012	1451	<i>Pyla fusca</i>		Y	1974	2005	17	8	2	
62.072	1417	<i>Pyralis farinalis</i>	Meal Moth	Y	1885	2016	227	3	1	
63.006	1361	<i>Pyrausta aurata</i>		Y	1989	2016	729	1	2	
63.005	1365	<i>Pyrausta despicata</i>		Y	1907	2016	6	2	2	
63.009	1366	<i>Pyrausta nigrita</i>		Y	1907	1907			5	
63.008	1363	<i>Pyrausta ostrinalis</i>		Y	1995	2010	3		3	
63.007	1362	<i>Pyrausta purpuralis</i>		Y	1907	2016	431	7	2	
35.157	758	<i>Recurvaria leucatella</i>		Y	2005	2016	9	1	2	
35.156	757	<i>Recurvaria nanella</i>		Y	1907	1907			5	
49.301	1214	<i>Retinia resinella</i>	Pine Resin-gall Moth	Y	1999	1999	1		5	
62.024	1445	<i>Rhodophaea formosa</i>		Y	1983	2016	64	1	1	
49.220	1162	<i>Rhopobota myrtillana</i>		Y	1907	1907			5	
49.223	1159	<i>Rhopobota naevana</i>	Holly Tortrix	Y	1907	2016	88	2	2	
49.305	1210	<i>Rhyacionia buoliana</i>	Pine Shoot Moth	Y	1983	2016	39	1	2	
49.306	1211	<i>Rhyacionia pinicolana</i>		Y	1983	2016	70	1	2	
49.307	1212	<i>Rhyacionia pinivorana</i>	Spotted Shoot Moth	Y	1990	2016	48	3	2	
13.002	447	<i>Roeslerstamnia erxlebella</i>		Y	1984	2016	14		1	
63.0534	1412	<i>Sceliodes laialis</i>		Y	1979	1979	1		3	Adventive/few records
63.120	1328	<i>Schoenobius gigantella</i>		Y	1907	2016	38	1	2	
46.001	485	<i>Schrekensteinia festaliella</i>		Y	1989	2015	13	1	1	
63.026	1374a	<i>Sclerocona acutellus</i>		Y	2004	2006	2	1	3	
63.064	1334	<i>Scoparia ambigualis</i>		Y	1885	2016	1631	43	2	
63.065	1335	<i>Scoparia ancipitella</i>		Y	1991	1991	1		3	
63.063	1334a	<i>Scoparia basistrigalis</i>		Y	1977	2015	8		3	
63.066	1333	<i>Scoparia pyralella</i>		Y	1978	2016	171	2	2	
63.062	1332	<i>Scoparia subfusca</i>		Y	1907	2016	150	7	2	
35.109	822	<i>Scrobipalpa acuminatella</i>		Y	1980	2016	80	4	4	
35.117	818	<i>Scrobipalpa atriplicella</i>		Y	1991	2006	3		4	
35.123	819	<i>Scrobipalpa costella</i>		Y	1980	2016	168	8	1	
43.005	914	<i>Scythris crassiuscula</i>		Y	1907	1907			5	
43.007	918	<i>Scythris limbella</i>		Y	2001	2001	1	1	3	
25.001	450	<i>Scythropia crataegella</i>	Hawthorn Moth	Y	1979	2016	171	4	2	
32.001	666	<i>Semioscopis avellanella</i>		Y	2014	2014	1		3	
32.002	667	<i>Semioscopis steinkellneriana</i>		Y	1907	2016	115	2	2	
63.014	1370	<i>Sitochroa palealis</i>		Y	2001	2014	5		3	
63.015	1371	<i>Sitochroa verticalis</i>		Y	1907	2013	1	1	3	
35.034	749	<i>Sitotroga cerealella</i>	Angoumois Grain Moth	Y	1955	2007	3	9	4	
35.091	841	<i>Sophronia semicostella</i>		Y	1998	2013	7		2	
34.013	909	<i>Sorhagenia lophyrella</i>		Y	2002	2010	2	1	4	
49.058	1034	<i>Spatalistis bifasciana</i>		Y	2005	2016	13	1	2	
49.225	1205a	<i>Spilonota laricana</i>		Y	1892	2016	9	5	4	
49.224	1205	<i>Spilonota ocellana</i>	Bud Moth	Y	1907	2016	628	5	1	
39.003	904	<i>Spuleria flavicaput</i>		Y	1907	2016	6		2	
42.002	877	<i>Stathmopoda pedella</i>		Y	1997	2016	11	1	1	
35.160	755	<i>Stenolechia gemmella</i>		Y	1980	2016	11	1	2	
45.013	1508	<i>Stenoptilia bipunctidactyla</i>	Twin-spot Plume	Y	1907	2016	37	3	2	
45.019	1506	<i>Stenoptilia millieridactyla</i>	Saxifrage Plume	Y	1997	2010	12	1	2	
45.012	1509	<i>Stenoptilia pterodactyla</i>	Brown Plume	Y	1907	2016	79	10	2	
45.021	1507	<i>Stenoptilia zophodactylus</i>	Dowdy Plume	Y	2003	2005	5	2	3	

ABH	B&F	SPECIES	Vernacular	VC55 Listed?	First VC55 Record	Last VC55 Record	Records in VC55 Database	Specimens in VC55 Collection	VC55 Verification Grade (Adults)	National Guide Comment
4.009	115	<i>Stigmella alnetella</i>		Y	1994	2001	4		4	
4.015	92	<i>Stigmella anomalella</i>	Rose Leaf Miner	Y	1973	2016	91		4	
4.040	74	<i>Stigmella assimilella</i>		Y	1995	2013	4		4	
4.061	83	<i>Stigmella atricapitella</i>		Y	1976	2012	12		4	
4.045	50	<i>Stigmella aurella</i>		Y	1907	2016	300	1	4	
4.058	89	<i>Stigmella basiguttella</i>		Y	2016	2016	1		4	
4.005	110	<i>Stigmella betulicola</i>		Y	1892	1973	1		4	
4.014	98	<i>Stigmella catharticella</i>		Y	1974	2016	16		4	
4.003	117	<i>Stigmella confusella</i>		Y	1975	2016	7		4	
4.023	108	<i>Stigmella crataegella</i>		Y	1993	2015	16		4	
4.052	57	<i>Stigmella filipendulae</i>		Y	2001	2001	1		4	
4.032	75	<i>Stigmella floslactella</i>		Y	1907	2015	49		4	
4.008	114	<i>Stigmella glutinosae</i>		Y	1993	2003	3		4	
4.055	81	<i>Stigmella hemargyrella</i>		Y	1993	2016	23		4	
4.030	99	<i>Stigmella hybnerella</i>		Y	1973	2013	7		4	
4.053	78	<i>Stigmella incognitella</i>		Y	2010	2010	1		4	
4.002	116	<i>Stigmella lapponica</i>		Y	1973	2003	5		4	
4.043	63	<i>Stigmella lemniscella</i>		Y	1974	2015	64		4	
4.007	112	<i>Stigmella luteella</i>		Y	1892	2011	6		4	
4.024	104	<i>Stigmella magdalenae</i>		Y	1974	2007	2		4	
4.013	97	<i>Stigmella malella</i>	Apple Pigmy	Y	1993	2012	8		4	
4.010	111	<i>Stigmella microtheriella</i>		Y	1974	2016	113		4	
4.036	72	<i>Stigmella myrtillella</i>		Y	2003	2003	1		4	
4.025	103	<i>Stigmella nylandriella</i>		Y	1892	2013	8		4	
4.038	70	<i>Stigmella obliquella</i>		Y	1973	2016	28		4	
4.026	100	<i>Stigmella oxyacanthella</i>		Y	1973	2015	31		4	
4.020	82	<i>Stigmella paradoxa</i>		Y	1974	2013	6		4	
4.054	79	<i>Stigmella perpygmaeella</i>		Y	1973	2015	14		4	
4.042	67	<i>Stigmella plagicolella</i>		Y	1973	2016	172		4	
4.022	107	<i>Stigmella regiella</i>		Y	2001	2015	9		4	
4.063	86	<i>Stigmella roborella</i>		Y	1995	2013	5		4	
4.060	84	<i>Stigmella ruficapitella</i>		Y	1993	1993	3		4	
4.035	68	<i>Stigmella salicis</i>		Y	1907	2016	35		4	
4.062	88	<i>Stigmella samiatella</i>		Y	2011	2014	4		4	
4.041	66	<i>Stigmella sorbi</i>		Y	1975	2010	8		4	
4.056	65	<i>Stigmella speciosa</i>		Y	1976	2014	7		4	
4.047	53	<i>Stigmella splendidissimella</i>		Y	1993	2016	46		4	
4.057	85	<i>Stigmella suberivora</i>		Y	2012	2016	5		4	
4.059	87	<i>Stigmella svenssoni</i>		Y	1975	1993	2		4	
4.004	90	<i>Stigmella tiliæ</i>		Y	2013	2013	1		4	
4.034	77	<i>Stigmella tityrella</i>		Y	1973	2016	68		4	
4.039	73	<i>Stigmella trimaculella</i>		Y	1973	2016	20		4	
4.018	80	<i>Stigmella ulmivora</i>		Y	1973	2016	40		4	
4.019	95	<i>Stigmella viscerella</i>		Y	1973	2016	29		4	
49.382	1222	<i>Strophedra nitidana</i>		Y	1907	2004	1		3	
49.381	1221	<i>Strophedra weirana</i>		Y	2010	2011	3		3	
16.015	437	<i>Swammerdamia caesiella</i>		Y	1907	2016	35		2	Category 4 if poorly marked / worn
16.017	438	<i>Swammerdamia pyrella</i>		Y	1907	2016	97	4	2	
35.002	849	<i>Syncopacma cinctella</i>		Y	1940	2015	1	1	4	
35.003	844	<i>Syncopacma larseniella</i>		Y	2003	2016	10	1	4	
35.004	847	<i>Syncopacma taenioella</i>		Y	2005	2015	2	1	3	
49.028	986	<i>Syndemis musculana</i>		Y	1907	2016	401	4	1	
28.024	656	<i>Tachystola acroxyantha</i>		Y	2014	2016	37		1	
11.006	181	<i>Taleporia tubulosa</i>		Y	1984	2014	8		2	
32.050	646	<i>Telechrysis tripuncta</i>		Y	2011	2014	2		3	
35.143	774	<i>Teleiodes luculella</i>		Y	1983	2015	59	2	1	
35.141	765	<i>Teleiodes vulgella</i>		Y	1982	2016	239		2	
35.146	776	<i>Teleiopsis diffinis</i>		Y	1982	2015	14		2	
35.037	840	<i>Thiotricha subocellea</i>		Y	2003	2013	5	1	3	
63.107	1321	<i>Thisanotia chrysomelucha</i>		Y	2015	2015	1	1	3	
26.001	398	<i>Tinagma ocnerostomella</i>		Y	2003	2003	1	1	3	
12.030	245	<i>Tinea pallescentella</i>	Large Pale Clothes Moth	Y	1986	2015	3		3	
12.027	240	<i>Tinea pellionella</i>	Case-bearing Clothes Moth	Y	1907	2016	35	8	4	
12.032	246	<i>Tinea semifulvella</i>		Y	1883	2016	199	1	1	
12.033	247	<i>Tinea trinotella</i>		Y	1907	2016	352	10	1	
12.026	236	<i>Tineola bisselliella</i>	Common Clothes Moth	Y	1907	2015	6	4	3	
10.001	123	<i>Tischeria ekebladella</i>		Y	1907	2016	40		2	
49.044	1025	<i>Tortricodes alternella</i>		Y	1907	2016	169	35	1	

ABH	B&F	SPECIES	Vernacular	VC55 Listed?	First VC55 Record	Last VC55 Record	Records in VC55 Database	Specimens in VC55 Collection	VC55 Verification Grade (Adults)	National Guide Comment
49.059	1033	<i>Tortrix viridana</i>	Green Oak Tortrix	Y	1907	2016	851	13	1	
12.023	226	<i>Triaxomasia caprimulgella</i>		Y	2017	2017	1		3	
12.011	225	<i>Triaxomera fulvimitrella</i>		Y	1883	2014	12	1	1	
12.012	224	<i>Triaxomera parasitella</i>		Y	2005	2016	10	1	2	
12.025	234	<i>Trichophaga tapetzella</i>	Tapestry Moth	Y	1907	1907			5	
4.068	46	<i>Trifurcula immundella</i>		Y	1973	1973	1		4	
63.031	1395	<i>Udea ferrugalis</i>	Rusty-dot Pearl	Y	1907	2016	362	7	1	
63.032	1389	<i>Udea fulvalis</i>		Y	2011	2011	1		5	
63.033	1388	<i>Udea lutealis</i>		Y	1885	2016	1070	27	1	
63.037	1392	<i>Udea olivalis</i>		Y	1885	2016	1460	11	1	
63.034	1390	<i>Udea prunalis</i>		Y	1844	2016	1168	14	1	
16.004	427	<i>Yponomeuta cagnagella</i>	Spindle Ermine	Y	1974	2016	192	15	2	Occupied larval web or bred only
16.001	424	<i>Yponomeuta evonymella</i>	Bird-cherry Ermine	Y	1978	2016	1262	4	1	
16.006	429	<i>Yponomeuta irrorella</i>		Y	1907	1907			5	
16.003	426	<i>Yponomeuta malinellus</i>	Apple Ermine	Y	1980	2014	67	13	N/A	Occupied larval web or bred only
16.002	425	<i>Yponomeuta padella</i>	Orchard Ermine	Y	1907	2014	145	29	N/A	Occupied larval web or bred only
N/A	425x	<i>Yponomeuta padella/malinellus</i>	Orchard/Apple Ermine	Y	2010	2016	296		1	
16.007	430	<i>Yponomeuta plumbella</i>		Y	1907	2014	8		2	
16.005	428	<i>Yponomeuta rorrella</i>	Willow Ermine	Y	1989	2016	90		2	Occupied larval web or bred only
17.008	458	<i>Ypsolopha alpella</i>		Y	1892	2016	8		2	
17.003	453	<i>Ypsolopha dentella</i>	Honeysuckle Moth	Y	1907	2016	366	16	1	
17.006	456	<i>Ypsolopha horridella</i>		Y	1995	2016	26		1	
17.007	457	<i>Ypsolopha lucella</i>		Y	1981	1994	5	1	3	
17.001	451	<i>Ypsolopha mucronella</i>		Y	1907	2009	2		3	
17.002	452	<i>Ypsolopha nemorella</i>		Y	1907	2016	30	1	1	
17.010	460	<i>Ypsolopha parenthesella</i>		Y	1907	2016	243		2	To allow for dark forms
17.005	455	<i>Ypsolopha scabrella</i>		Y	1975	2016	559	5	1	
17.012	462	<i>Ypsolopha sequella</i>		Y	1907	2016	345	7	1	
17.009	459	<i>Ypsolopha sylvestra</i>		Y	1907	2015	14	2	2	
17.011	461	<i>Ypsolopha ustella</i>		Y	1907	2016	78	5	2	
17.013	463	<i>Ypsolopha vittella</i>		Y	1907	2011	6	11	2	
49.257	1166	<i>Zeiraphera griseana</i>	Larch Tortrix	Y	1892	1988	3	2	3	
49.260	1165	<i>Zeiraphera isertana</i>		Y	1907	2016	74	4	2	
49.259	1163	<i>Zeiraphera ratzeburgiana</i>	Spruce Bud Moth	Y	1980	2016	13	1	2	
16.010	435	<i>Zelleria hepariella</i>		Y	1990	2016	32	1	2	